

NORTHLIFT MARINE HAULERS



EFFORTLESS HAULING MADE SAFE

Index

4 Electric Line Haulers
7 LH200
8 LH300
9 LHM
10 LH Features
12 Electric Net Haulers
15 NH200
16 NLH200
17 NH Features
18 Accessories - Electric
22 Hydraulic Haulers
26 LH500
28 LH700
30 Accessories - Hydraulic
31 Specifications

Marine haulers from NorthLift® make hauling pots and nets effortless and safe.

The NorthLift range consist of two types of haulers; the electric series and the hydraulic series.


The electric series consists of two 12V and one 24V line haulers and two net haulers. All for the non-professional fishermen. Innovative solutions combined with user friendly design results in haulers that are powerful, quick to mount, foldable and easy to store. Everything to make hauling nets and pots an effortless and enjoyable experience for the leisure fisherman.

The new hydraulic series consist of two line haulers for the semi-professional fishermen. Robust design combined with durable materials and smart functions makes hauling effortless.

NorthLift is balancing every aspect of long lasting marine equipment by using only the highest quality marine grade materials. Anodized aluminum combined with 316L stainless steel and industrial strength nylon makes our marine haulers into work horses which endure all rigors of operating at sea.

The development is an ongoing process and we are always looking for new solutions and better designs that make hauling effortless and safe.

For more information and instructional videos please visit us online: **www.northlift.com**



NorthLift Electric Line Haulers - are easy to operate and easy to store. The haulers are mounted on the NorthLift Twin Mount Bracket™ and with their foldable design mounts in seconds and require minimum space when not in use. The only thing permanently fixed on the deck is the nylon bracket which also comes in several different colors.





200

LH200 – the top selling hauler from NorthLift is designed for pulling single traps and is primarily used on small to midsize boats.


The LH200 is equipped with the trademark foldable hauling arm allowing for minimal space usage and easy storage. It comes equipped with the freely rotating lower axel, an automatic press-arm and an ejector knife; eliminating the necessity of applying light pull on the rope.

The LH200 draws around 25A when hauling a normal load and weights only 17kg. Mounts on the smaller Twin Mount Bracket.

- 12V High torque motor
- Up to 200lb (90kg) Hauling power
- 145ft (45m)/min Hauling speed
- Marine grade materials
- Twin Mount Bracket™
- Compact foldable design
- Quick-mount system
- Auto reset bimetal fuse
- Line size span 4-10 mm



GENERAL FEATURES LINE HAULERS



1. Foldable hauling arm Folds back for easy handling and storage



2. Rotating axelFreely rotating axel with locking screw knob



3. Press-armAutomatic press-arm for self-hauling



4. Carrying handleFor easy carrying and handling onboard



5. Twin Mount Bracket™ Industrial grade fiberglass reinforced nylon with quick release



6. Bimetal fuse Integrated bimetal auto reset fuse



NorthLift Electric Net Haulers - combines the best of both net- and line haulers. The haulers are mounted on the larger version of the NorthLift Twin Mount Bracket and with their foldable design mounts in seconds and require minimum space when not in use. The only thing permanently fixed on the deck is the nylon bracket.



1. Net ball

Self weighted vulcanized rubber net ball

2. Foldable hauling arm

Folds back for easy handling and storage

3. Net drum

Vulcanized rubber net drum with a grooved pattern

4. Electric switch

Easily reachable forward and reverse switch

5. Integrated fuse

Integrated bimetal automatic reset fuse

6. Rotating axel

Freely rotating axel with locking screw knob

7. Twin Mount Bracket

Injection molded fiberglass reinforced nylon with quick release



200

NH200 – the latest model from NorthLift is designed to haul nets with ease.

NH200 is intended for small to midsize boats.

The NH200 comes equipped with a net ball in addition to the vulcanized drum and freely rotating lower axel. This hauler has been stripped of all unnecessities to be able to haul nets easily and to avoid them getting tangeled.

The NH200 draws around 25A when hauling a normal load. Mounts on the larger Twin Mount Bracket.

- 12V High torque motor
- Up to 200lb (90kg) Hauling power
- 90ft (30m)/min Hauling speed
- Marine grade materials
- Twin Mount Bracket™ Large
- Large guiding U-pipe
- Compact design
- Quick-mount system
- Auto reset bimetal fuse

15



NLH 200

NLH200 – Net and Line Hauler 200lbs - does the job of both a net hauler and a line hauler. NLH200 is intended for small to midsize boats.

The NLH200 comes equipped with a net ball in addition to the trademark foldable hauling arm, freely rotating lower axel, an automatic press-arm and an ejector knife; giving you a self-hauling option.

The NH200 draws around 25A when hauling a normal load. Mounts on the larger Twin Mount Bracket.

- 12V High torque motor
- Up to 200lb (90kg) Hauling power
- 90ft (30m)/min Hauling speed
- Marine grade materials
- Twin Mount Bracket™ Large
- Compact foldable design
- Quick-mount system
- Auto reset bimetal fuse
- Line size span 4-10 mm

GENERAL FEATURES NET HAULERS



1. Foldable hauling armFolds back for easy
handling and storage



2. Net BallSelf weighted vulcanized net ball



3. Rotating axelFreely rotating axel with locking screw knob



4. Press-armAutomatic press-arm for self-hauling



5. Twin Mount Bracket Industrial grade fiberglass reinforced nylon with quick release. Large version




6. Bimetal fuseIntegrated bimetal autoreset fuse



The NorthLift Electric Marine Haulers come with a wide range of accessories. These can come in handy when secondary installation positions are needed or if hauler parts have been worn down.

Some accessories are shown below and more can be found visiting us online at





Reinforcement Plates Reinforcement plates used to reinforce the deck when necessary. In stainless steel.



Rope Pulley A heavy duty open block pulley made of fiberglass filled nylon.



12V/24V Plug & Receptacle Heavy duty 12V/24V Plug and Receptacle with water splash protection. Lockable.





Twin Mount Bracket™ For secondary installations onboard, example for hauling anchors etc. Comes in two sizes of which the smaller comes in several colors to best match the deck of your boat. Available in standard black, white and teak-color.

18

ELECTRIC HAULER ACCESSORIES



Eiector knife

Nylon ejector knife that ejects the line making sure it doesn't get stuck.



Hauling Arms

Various size arms which fit all NorthLift models. Available sizes are 56cm, 66cm, 80cm and 90cm. Easy to switch or replace by simply undoing a single screw knob.



Forward / Reverse-Kit

For previous models with only forward/stop switch. Enables reverse.





Bouy Hook

A specially developed bouy hook from NorthLift allowing for easy picking up of creel bouys. Extendable arm with a variable length from 90 to 140 cm.

TECHNICAL SPECIFICATIONS

Electric Haulers	LH200	LH300	LHM	NH200	NLH200
Voltage	12 V	12 V/24 V	-	12 V	12 V
Hauling power (up to)	90 kg	140 kg	-	90 kg	90kg
Hauling speed - normal load	45m/min	45m/min	-	35 m/min	35m/min
Hauling speed - heavy load	30m/min	30m/min	-	22m/min	22m/min
Weight	17 kg	19kg	3kg	26kg	33kg
Height	90cm	110 cm	95cm	80 cm	80 cm
Width	65cm	80cm	55cm	42cm	55cm
Diameter rope sheaves	32cm	32cm	-	-	32cm
Line size span	4-10mm	4-10 mm	1-10 mm	-	4-10 mm
Power consumption - no load	12 A	18A/9A	-	12 A	12 A
Power consumption - normal load	25A	35A/18A	-	25A	25A
Power consumption - heavy load	45A	60A/30A	-	45A	45A
Rated power output	600W	900W	-	600W	600W
Twin Mount Bracket	Small	Large	Small	Large	Large
Fuse type (automatic reset)	Bimetal	Bimetal	-	Bimetal	Bimetal

Hydraulic Haulers	LH500	LH500	LH700	LH700
Hauling power (up to)	230kg	230 kg	320 kg	320kg
Hauling speed - normal load	45m/min	45m/min	45m/min	45m/min
Weight (including arm)	44kg	34kg	44kg	34kg
Oil flow	12 L/min	12 L/min	16 L/min	16 L/min
Oil pressure	140 bar	140 bar	140 bar	140 bar
Power	4,2 hp	4,2 hp	5,8 hp	5,8 hp
Diameter rope sheaves	28 cm	28 cm	28 cm	28 cm
Line size span	4-12 mm	4-12 mm	4-12 mm	4-12 mm
Height	200 cm	70 cm	200 cm	70 cm
Width	75 cm	45 cm	75 cm	45 cm