



THRUSTERS

SEAMOR Marine's thrusters are well respected for their high performance and rugged design. Available in 300m & 600m depth ratings, these thrusters utilize high-quality 150W Maxon DC motors and gearboxes. Powerful, specially designed props and nozzles are designed to provide high thrust values for their relative size. Each thruster is constructed from anodized

marine-grade aluminum and fully tested before leaving the factory. Both the 300m & 600m models utilize replaceable shaft seal cartridges to make service simple and straightforward, and a built-in grounding stud enables easy connection to a sacrificial anode. Left- and right-handed propellers are available to meet end users' needs.

DIMENSIONS

Overall length: 9.6" (243 mm)

Nozzle OD: 5.0" (126 mm)

Body OD: 1.75" (45 mm)

Propeller OD: 4.0" (102 mm)

THRUST

Forward:

19.8 lbf (9.0 kgf) @ 48 VDC, 3.125 A (150 W)

Reverse:

11.9 lbf (5.4 kgf) @ 48 VDC, 3.125 A (150 W)

Utilizes precision Swiss-designed Maxon 150 W brushed DC motors and planetary gearboxes.



1914 Northfield Road
Nanaimo, BC
V9S 3B5 Canada

t 250-729-8899
tf 888-729-8890
e sales@seamor.com

seamor.com